

Work Order	3527.2_Rev2
Setup-Code	200127-10290-2801-01



Test Report

JIS Z 2801:2012 (Mod)

Antimicrobial products – Test for antimicrobial activity and efficacy

Test Object:

Determination of the germ reduction rate of erstotizer versus Escherichia coli DSM22312 after 0.5h, 1h, 3h and 24h

EN 24.09.2014 TN

Page 1 of 7



Work Order	3527.2_Rev2
Setup-Code	200127-10290-2801-01

Report on Findings

Client: Address:	E.R.S.T. Project GmbH Aiterhofenerstraße 4 94330 Salching GERMANY			
Work order no.:	3527.2_Rev2			
Test object:	Determination of the germ reduction rate of erstotizer versus <i>Escherichia coli</i> DSM22312 after 0.5h, 1h, 3h and 24h			
Sample description:	Coated foil			
Date of receipt of sample:	2020-Jan-20			
Type of test:	JIS Z 2801:2012 Antimicrobial products – Test for antimicrobial activity and efficacy			
Test Germ:	Escherichia coli DSM22312			
Test laboratory:	QualityLabs BT GmbH			
Address:	Neumeyerstrasse 46a 90411 Nuremberg, Germany			
Setup-Code:	200127-10290-2801-01			
Sample material:	n.b.			
No. of pages in report:	7			
Report on findings Place to the client: Recipi				
Laboratory Director:	Harald Gerauer, Laboratory Director QualityLabs BT GmbH			
Released:	Markus Zehe, Managing Director QualityLabs BT GmbH			
	EN 24.09.2014 TN Page 2 of 7			



Work Order	3527.2_Rev2
Setup-Code	200127-10290-2801-01

Declaration on Quality Assurance

This investigation was performed and supervised according to the standard operating procedure "SOP zu JIS Z 2801:2012 (Mod)" by QualityLabs BT GmbH. The laboratory and process are continually monitored by independent, external authorities, as well as by internal audits.

Archiving

A copy of the test report, a protocol of the measurement as well as the accompanying correspondence and business records are archived by QualityLabs BT GmbH. The retention period is at least 10 years.

Test description

Anti-bacterial activity is determined in accordance with a modified version of JIS Z 2801:2012.

During the test, a thin liquid-film containing the bacteria $(1.25 \times 10^4 \text{ CFU} / \text{cm}^2)$ is applied directly to the test sample (Standard: 5 cm x 5 cm). To avoid desiccation a foil (Standard: 4cm x 4cm, Stomacher Bags) is applied. Immediately after inoculation, the bacteria from the reference sample are separated from the sample and the enveloping foil surfaces using ultrasound and vortex devices and the number of viable germs (CFU – colony-forming units) is determined (t₀ value). A further set of reference samples and samples given anti-microbial treatment is incubated with bacteria in a liquid-film and the enveloping foil in a damp environment at 37°C. After 24 hours, the bacteria are separated from the sample surfaces using ultrasound and vortex devices and the number of viable germs is determined (t₂₄ value).

Page 3 of 7



Work Order	3527.2_Rev2
Setup-Code	200127-10290-2801-01

Assessment of antimicrobial activity

A logarithmic germ reduction of \geq 3 log scales of the antimicrobial sample in comparison to the respective reference is used as assessment criterion to pass the antimicrobial test.

Germ reduktion [log scales]	Antibacterial activity
< 3	Not sufficient antimicrobial activity
≥ 3	Sufficient antimicrobial activity

Page 4 of 7



Work Order	3527.2_Rev2
Setup-Code	200127-10290-2801-01

References to Testconditions

Testconditions					
Sample size	25	cm ²			
Foil size	16	cm ²			
Volume Inoculum	200	μl			
Sample cleaning	-	-			

References to deviations, preincubations, special test conditions

The inoculum was used with a cell concentration of 7.000 cells/cm², the samples were incubated at room temperature. After an incubation period of 0.5, 1, 3 and 24 hours, the germ reduction was determined.

Page 5 of 7



Work Order	3527.2_Rev2
Setup-Code	200127-10290-2801-01

Test Results

	Sample Name	Sample Code		t ₀ (cells/cm ²)			t (cells/cm ²)		Reduction [%]	Log Reduction
1	Uncoated foil	102902001200041	1.4 x 104	1.8 x 10 ⁴	1.6 x 104	1.1 x 10⁵	7.3 x 10 ⁴	9.4 x 10 ⁴	-	Reference
2	erstotizer 0.5 h	102902001200042				3.0 x 10 ²	2.6 x 10 ²	4.9 x 10 ²	99.62	2.42
3	erstotizer 1 h	102902001200042				< 1.0 x 10 ¹	3.8 x 10 ¹	1.1 x 10 ²	99.95	3.27
4	erstotizer 3 h	102902001200042				< 1.0 x 10 ¹	< 1.0 x 10 ¹	< 1.0 x 10 ¹	> 99.99	> 4
5	erstotizer 24 h	102902001200042				< 1.0 x 10 ¹	< 1.0 x 10 ¹	< 1.0 x 10 ¹	> 99.99	> 4

*see "Interpretation of Results", page 6

Test strain	Escherichia coli DSM22312			
Initial cell count inoculum / cm ²	7.0 x 10 ³			
Initials of the editor	JJ			
Measurement ended on	Jan-30-2020			



Work Order	3527.2_Rev2
Setup-Code	200127-10290-2801-01

Comments on test objects

NONE

Interpretation of the results based on the measurements

NONE

Editor: Mrs. Jovanovic _____

Crosschecked: Mr. Zehe _____

References

JIS Z 2801:2012 Antimicrobial products – Test for antimicrobial activity and efficacy

EN 24.09.2014 TN

Page 7 of 7